

Literature cited

- 1 Pritzkow, S. *et al.* North American and Norwegian Chronic Wasting Disease prions exhibit different potential for interspecies transmission and zoonotic risk. *J Infect Dis* (2021). <https://doi.org:10.1093/infdis/jiab385>
- 2 Bian, J. *et al.* Prion replication without host adaptation during interspecies transmissions. *Proceedings of the National Academy of Sciences of the United States of America* (2017). <https://doi.org:10.1073/pnas.1611891114>
- 3 Angers, R. C. *et al.* Prions in skeletal muscles of deer with chronic wasting disease. *Science* **311**, 1117 (2006). <https://doi.org:1122864> [pii] 10.1126/science.1122864
- 4 Agren, E. O. *et al.* First Detection of Chronic Wasting Disease in Moose (*Alces alces*) in Sweden. *J Wildl Dis* **57**, 461-463 (2021). <https://doi.org:10.7589/JWD-D-20-00141>
- 5 Arifin, M. I. *et al.* Heterozygosity for cervid S138N polymorphism results in subclinical CWD in gene-targeted mice and progressive inhibition of prion conversion. *Proc Natl Acad Sci U S A* **120**, e2221060120 (2023). <https://doi.org:10.1073/pnas.2221060120>
- 6 Hannaoui, S. *et al.* Transmission of cervid prions to humanized mice demonstrates the zoonotic potential of CWD. *Acta Neuropathol* (2022). <https://doi.org:10.1007/s00401-022-02482-9>
- 7 Atarashi, R. *et al.* Simplified ultrasensitive prion detection by recombinant PrP conversion with shaking. *Nat Methods* **5**, 211-212 (2008). <https://doi.org:nmeth0308-211> [pii] 10.1038/nmeth0308-211
- 8 Atarashi, R. *et al.* Ultrasensitive detection of scrapie prion protein using seeded conversion of recombinant prion protein. *Nat Methods* **4**, 645-650 (2007).
- 9 Bahmanyar, S., Williams, E. S., Johnson, F. B., Young, S. & Gajdusek, D. C. Amyloid plaques in spongiform encephalopathy of mule deer. *J Comp Pathol* **95**, 1-5 (1985).
- 10 Benestad, S. L., Mitchell, G., Simmons, M., Ytrehus, B. & Vikøren, T. First case of chronic wasting disease in Europe in a Norwegian free-ranging reindeer. *Vet Res* **47**, 88 (2016). <https://doi.org:10.1186/s13567-016-0375-4>
- 11 Block, A. J. & Bartz, J. C. Prion strains: shining new light on old concepts. *Cell Tissue Res* (2022). <https://doi.org:10.1007/s00441-022-03665-2>
- 12 Oesch, B. *et al.* A cellular gene encodes scrapie PrP 27-30 protein. *Cell* **40**, 735-746 (1985).
- 13 Prusiner, S. B. Novel proteinaceous infectious particles cause scrapie. *Science* **216**, 136-144 (1982).
- 14 Bolton, D. C., McKinley, M. P. & Prusiner, S. B. Identification of a protein that purifies with the scrapie prion. *Science* **218**, 1309-1311 (1982).
- 15 Browning, S. R. *et al.* Transmission of prions from mule deer and elk with chronic wasting disease to transgenic mice expressing cervid PrP. *Journal of Virology* **78**, 13345-13350 (2004). <https://doi.org:10.1128/JVI.78.23.13345-13350.2004>
- 16 Cassmann, E. D., Moore, S. J. & Greenlee, J. J. Experimental Oronasal Transmission of Chronic Wasting Disease Agent from White-Tailed Deer to Suffolk Sheep. *Emerg Infect Dis* **27**, 3156-3158 (2021). <https://doi.org:10.3201/eid2712.204978>
- 17 Moore, S. J. *et al.* Experimental Transmission of the Chronic Wasting Disease Agent to Swine after Oral or Intracranial Inoculation. *Journal of Virology* **91**, e00926-00917 (2017). <https://doi.org:10.1128/JVI.00926-17>
- 18 Bessen, R. A. & Marsh, R. F. Biochemical and physical properties of the prion protein from two strains of the transmissible mink encephalopathy agent. *J Virol* **66**, 2096-2101 (1992).

- 19 Kuznetsova, A., McKenzie, D., Ytrehus, B., Utaaker, K. S. & Aiken, J. M. Movement of Chronic Wasting Disease Prions in Prairie, Boreal and Alpine Soils. *Pathogens* **12** (2023). <https://doi.org:10.3390/pathogens12020269>
- 20 Kuznetsova, A., Cullingham, C., McKenzie, D. & Aiken, J. M. Soil humic acids degrade CWD prions and reduce infectivity. *PLoS Pathog* **14**, e1007414 (2018). <https://doi.org:10.1371/journal.ppat.1007414>
- 21 Johnson, C. J., Pedersen, J. A., Chappell, R. J., McKenzie, D. & Aiken, J. M. Oral transmissibility of prion disease is enhanced by binding to soil particles. *PLoS Pathog* **3**, e93 (2007). <https://doi.org:06-PLPA-RA-0518> [pii] 10.1371/journal.ppat.0030093
- 22 Johnson, C. J. *et al.* Prions adhere to soil minerals and remain infectious. *PLoS Pathog* **2**, e32 (2006). <https://doi.org:10.1371/journal.ppat.0020032>
- 23 Klohn, P. C., Stoltze, L., Flechsig, E., Enari, M. & Weissmann, C. A quantitative, highly sensitive cell-based infectivity assay for mouse scrapie prions. *Proc Natl Acad Sci U S A* **100**, 11666-11671 (2003). <https://doi.org:10.1073/pnas.1834432100>
- 24 Kong, Q. *et al.* Chronic wasting disease of elk: transmissibility to humans examined by transgenic mouse models. *Journal of Neuroscience* **25**, 7944-7949 (2005). <https://doi.org:10.1523/JNEUROSCI.2467-05.2005>
- 25 Kraus, A. *et al.* High-resolution structure and strain comparison of infectious mammalian prions. *Mol Cell* (2021). <https://doi.org:10.1016/j.molcel.2021.08.011>
- 26 Li, J., Mahal, S. P., Demczyk, C. A. & Weissmann, C. Mutability of prions. *EMBO reports* (2011). <https://doi.org:10.1038/embor.2011.191>
- 27 Li, J., Browning, S., Mahal, S. P., Oelschlegel, A. M. & Weissmann, C. Darwinian evolution of prions in cell culture. *Science (New York, NY)* **327**, 869-872 (2010). <https://doi.org:10.1126/science.1183218>
- 28 Manka, S. W. *et al.* A structural basis for prion strain diversity. *Nat Chem Biol* (2023). <https://doi.org:10.1038/s41589-022-01229-7>
- 29 Mathiason, C. K. *et al.* Infectious prions in the saliva and blood of deer with chronic wasting disease. *Science* **314**, 133-136 (2006). <https://doi.org:314/5796/133> [pii] 10.1126/science.1132661
- 30 Moore, S. J., Carlson, C. M., Schneider, J. R., Johnson, C. J. & Greenlee, J. J. Increased Attack Rates and Decreased Incubation Periods in Raccoons with Chronic Wasting Disease Passaged through Meadow Voles. *Emerg Infect Dis* **28**, 793-801 (2022). <https://doi.org:10.3201/eid2804.210271>
- 31 Nonno, R. *et al.* Studies in bank voles reveal strain differences between chronic wasting disease prions from Norway and North America. *Proc Natl Acad Sci U S A* (2020). <https://doi.org:10.1073/pnas.2013237117>
- 32 O'Rourke, K. I. *et al.* PrP genotypes of captive and free-ranging Rocky Mountain elk (*Cervus elaphus nelsoni*) with chronic wasting disease. *J Gen Virol* **80**, 2765-2769 (1999).
- 33 Pirisinu, L. *et al.* Novel Type of Chronic Wasting Disease Detected in Moose (*Alces alces*), Norway. *Emerg Infect Dis* **24**, 2210-2218 (2018). <https://doi.org:10.3201/eid2412.180702>
- 34 Pritzkow, S. *et al.* Grass plants bind, retain, uptake, and transport infectious prions. *Cell Rep* **11**, 1168-1175 (2015). <https://doi.org:10.1016/j.celrep.2015.04.036>
- 35 Saborio, G., Permanne, B. & Soto, C. Sensitive detection of pathological prion protein by cyclic amplification of protein misfolding. *Nature* **411**, 810-813. (2001).
- 36 Race, B. *et al.* Lack of Transmission of Chronic Wasting Disease to Cynomolgus Macaques. *J Virol* (2018). <https://doi.org:10.1128/JVI.00550-18>
- 37 Saunders, S. E., Shikiya, R. A., Langenfeld, K., Bartelt-Hunt, S. L. & Bartz, J. C. Replication efficiency of soil-bound prions varies with soil type. *Journal of virology* (2011). <https://doi.org:10.1128/JVI.00282-11>

- 38 Sigurdson, C., Spraker, T., Miller, M., Oesch, B. & Hoover, E. PrP(CWD) in the myenteric plexus, vagosympathetic trunk and endocrine glands of deer with chronic wasting disease. *The Journal of general virology* **82**, 2327-2334. (2001).
- 39 Sigurdson, C. *et al.* Oral transmission and early lymphoid tropism of chronic wasting disease PrPres in mule deer fawns (*Odocoileus hemionus*). *The Journal of general virology* **80**, 2757-2764 (1999).
- 40 Sun, J. L. *et al.* Novel Prion Strain as Cause of Chronic Wasting Disease in a Moose, Finland. *Emerg Infect Dis* **29**, 323-332 (2023). <https://doi.org:10.3201/eid2902.220882>
- 41 Wang, F., Wang, X., Yuan, C. G. & Ma, J. Generating a prion with bacterially expressed recombinant prion protein. *Science* **327**, 1132-1135 (2010). <https://doi.org:science.1183748> [pii] 10.1126/science.1183748
- 42 Wilham, J. M. *et al.* Rapid end-point quantitation of prion seeding activity with sensitivity comparable to bioassays. *PLoS Pathog* **6**, e1001217 (2010). <https://doi.org:10.1371/journal.ppat.1001217>
- 43 Yuan, Q., Telling, G., Bartelt-Hunt, S. L. & Bartz, J. C. Dehydration of prions on environmentally relevant surfaces protects them from inactivation by freezing and thawing. *J Virol* (2018). <https://doi.org:10.1128/JVI.02191-17>
- 44 Yuan, Q., Eckland, T., Telling, G., Bartz, J. C. & Bartelt-Hunt, S. Mitigation of prion infectivity and conversion capacity by a simulated natural process-repeated cycles of drying and wetting. *PLoS Pathogens* **11**, e1004638 (2015). <https://doi.org:10.1371/journal.ppat.1004638>
- 45 Williams, E. S. & Young, S. Neuropathology of chronic wasting disease of mule deer (*Odocoileus hemionus*) and elk (*Cervus elaphus nelsoni*). *Vet Pathol* **30**, 36-45 (1993).
- 46 Williams, E. S. & Young, S. Spongiform encephalopathies in Cervidae. *Rev. Sci. Tech.* **11**, 551-567 (1992).
- 47 Williams, E. & Young, S. Spongiform encephalopathy of Rocky Mountain elk. *J Wildl Dis* **18**, 465-471 (1982).
- 48 Williams, E. S. & Young, S. Chronic wasting disease of captive mule deer: a spongiform encephalopathy. *J Wildl Dis* **16**, 89-98 (1980).
- 49 Nichols, T. A. *et al.* Detection of two dissimilar chronic wasting disease isolates in two captive Rocky Mountain elk (*Cervus canadensis*) herds. *Prion* **15**, 207-215 (2021). <https://doi.org:10.1080/19336896.2021.1982333>